

INDEX MAPS.

T. 30 N. R. 5 W. 2nd Mer.

	112	112	111	111	111	110
114	6	5	126 4	124 3	121 2	117 1
			126	123	120	117
114	7	8	9	123 10	120 11	116 12
	Marsh			123	120	116
113	not surveyed					
	18	17	16	123 15	119 14	115 13
				122	119	115
113	19	20	21	122 22	119 23	115 24
	128	127	125	122	118	115
113	30	127 29	125 28	122 27	118 26	115 25
	127	127	124	121	118	114
112	31	126 32	124 33	121 34	117 35	114 36
	108	108	107	107	107	107

T. 31 N. R. 5 W. 2nd Mer.

	136	136	135	135	135	134
138	6	164 5	157 4	154 3	149 2	143 1
	164	163	157	153	148	142
138	7	163 8	156 9	153 10	148 11	142 12
	162	162	156	152	147	141
137	18	162 17	156 16	152 15	147 14	141 13
	161	161	156	151	146	140
137	19	160 20	156 21	151 22	145 23	140 24
	160	159	155	150	144	140
137	30	159 29	155 28	150 27	145 26	139 25
	158	158	155	150	145	139
136	31	158 32	154 33	149 34	143 35	138 36
	132	132	131	131	131	131

The figures on the lines refer to the page.

107

by Township 30 North, Range 5 West, 2nd Meridian.

Co. L. South Boundary, Var. 5° 35' E,

West On S. side section 36
 40.00 Set gr. sec. post. in prairie
 where raise a mound
 80.00 Set post cor. sec. 35 & 36 in prairie
 where raise a mound
 Land level & first rate prairie

West On S. side section 35
 8.00 To Road cor. N & S,
 14.00 Indian trail cor. S. W,
 40.00 Set gr. sec. post in prairie
 where raise a mound
 77.00 Leave prairie
 80.00 Set post cor. sec. 34 & 35 from which
 a W. Oak 9 in. dia, bears N 43° W 17 1/2 m. dist,
 & an Aspen 10 " " " N 86° 18 " "
 Land mostly prairie

West On S. side of sec. 34
 8.00 Enter dry prairie
 38.00 Leave same
 40.00 Set gr. sec. post from which
 a Br. Oak 18 in. dia, bears N 38° W. 249 1/2 m,
 & a Do. 20 " " " N 73 1/2° W 255 "
 44.26 a W. Oak 18 " "
 80.00 Set post cor. sec. 33 & 34 from which
 a B. Oak 9 in. dia, bears N 73° 45' E 129 m. dist,
 & a W. Oak 6 " " " N 64° E 154 " "
 Land level & 2nd rate, & the timber is
 W. & Y. Oak &c

West On S. side of sec. 33,
 14.66 a W. Oak 16 in. dia,
 27.81 a Do. 18 " "

T. 30 N. R. 5 W. 2nd Mer. Ind^a

- 30.00 Enter a marsh
 39.00 Leave the Do,
 40.00 Set gr. sec. post from which
 a Y. Oak 9 in. dia. bears N 50 W 46 7 1/2 M. dist,
 & a Do. 7 " " " N 80 W 40 6 " "
 48.00 Enter dry prairie
 80.00 Set post cor. Sec. 32 & 33. in prairie
 where raise a mound
 Land level soil good, timbered then
 with Br. W & Y. Oak

- Post On S. side sec. 32,
 40.00 Set gr. sec. post from which
 a Br. Oak 18 in. dia. bears S 26 1/2 E 202 M.,
 & a Do. 12 " " " S 19 1/2 W 205 "
 no timber on N. near line,
 80.00 Set post cor. Sec. 31 & 32 from which
 a Y. Oak 16 in. dia. bears N 29 E 206 M.,
 & a Br. Oak 16 " " " N 55 W 438 "
 Land gently rolling & first rate prairie

- Post On S. side section 31
 21.00 Enter scattering Oak timber & Hazel
 40.00 Set gr. sec. post from which
 a Y. Oak 12 in. dia. bears S 78 1/2 E 156 M.,
 & a Do. 10 " " " S 2 E 241 " dist,
 65.00 Enter fine grove of W. & Br. Oak,
 67.07 a Br. Oak 15 in. dia.,
 79.55 To W. boundary 658 M. S. of temple
 town corner, where set post corner
 of Towns 29 & 30 N. Ranges 5 & 6 W. from wh.,
 a Y. Oak 18 in. dia. bears S 82 W 38 M. dist,
 & a W. Oak - " " " S 86 E + " "
 Land rolling 1st rate thinly timbered
 with W. & Br. Oak, Mud. Sh. Hazel
 in places. (Twp. 5: 35 E.) Dec. 13th 1833.

T. 30 N. R. 5 W. 2nd. Mer. Ind^a

C. L. Surveyed by, Sylvester Sibley. Dep. Sur.

East Boundary.

Var. 5° 35' E,

North On E. side Section 36

40.00 Set gr. sw. post. in prairie,
where raise a mound

70.00 an Indian trail en. S. W.

80.00 Set post cor. Secs. 25 & 36 in prairie
where raise a mound

Land gently rolling 1st rate prairie

North On E. side Sec. 25

40.00 Set gr. sw. post. from which
a Y. Oak 14 in. dia. bears N $1\frac{1}{4}$ E 550 ft. dist.,
& a Do. 18 " " " N $2\frac{1}{2}$ W 586 " "

45.50 Leave prairie

80.00 Set post cor. Secs. 24 & 25 from which
a W. Oak 12 in. dia. bears N $57\frac{1}{2}$ W 22 ft. dist.,
& a Y. Oak 14 " " " S $71\frac{1}{2}$ W 20 " "

Land level 1st rate prairie on 1st $\frac{1}{2}$ mile
On 2nd $\frac{1}{2}$ sec. rate barrens —

North On E. side Section 24

2.18 a W. Oak a W. Oak 30 in. dia.,

4.00 Entered wet prairie

40.00 Set gr. sw. post. from which
a W. Oak 6 in. dia. bears S $4\frac{1}{2}$ E 985 ft. dist.,
& a Y. Oak 10 " " " S $1\frac{1}{2}$ W 1000 " "

79.00 Leave wet prairie

80.00 Set post cor. Secs. 13 & 24 from which
a Y. Oak 28 in. dia. bears S $55\frac{1}{2}$ W 222 ft.,
& a W. Oak 20 " " " N $45\frac{1}{2}$ W 285 " dist.

Land mostly wet prairie a few scatter-
ing Oaks. —

T. 30 N. R. 5 W. 2nd Mer. Ind^a

North On E. side of Sec. 13
 40.00 Set gr. sec. post from which
 a Y. Oak 20 in. dia, bears N 60 E 77 lks. dist,
 & a Do, 28 " " " N 29 W 152 " "
 80.00 Set post cor. sec. 12 & 13 from which
 a W. Oak 10 in. dia, bears N 17 1/2 W 141 lks. dist,
 & a Y. Oak 18 " " " S 22 W 202 " "
 Land rolling & first rate barrens & thinly
 timbered with Oak &c

North On E. side of sec. 12
 26.24 a W. Oak 9 in. dia,
 40.00 Set gr. sec. post from which
 a W. Oak 10 in. dia, bears S 13 W 345 lks. dist,
 & a Do, 12 " " " S 54 3/4 W 315 " "
 80.00 Set post cor. sec. 1 & 12 from which
 a Y. Oak 9 in. dia, bears N 16 E 311 lks. dist,
 & a Do. 9 " " " N 25 1/2 E 113 " "
 Land &c, same as on last mile

North On E. side of sec. 1,
 20.51 a W. Oak 9 in. dia,
 40.00 Set gr. sec. post from which
 a Y. Oak 9 in. dia, bears N 13 1/2 W 239 lks. dist,
 & a W. Oak 7 " " " S 55 1/2 W 277 " "
 48.00 a Road en. N. E. & S. W.,
 74.97 a W. Oak 28 in. dia,
 80.00 Set temporary town corner,
 Land &c, same as on last mile,
 December 12th 1833, Var. 5° 35' E,
 Surveyed by
 Sylvester Dibley Dep. Sur.

North Boundary Var. 5° 35' E,

West On S. side of sec. 36 T. 31 N. R. 5 W.

111

T. 30 N. R. 5 W. 2nd Mer. Ind. a

- 18.43 a W. Oak 18 in. dia.,
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia., bears N 58 W 43 ths. dist.,
 & a Hickory 6 " " " N 62 W 31 " "
 80.00 Set post cor. Sec. 35 & 36 from which
 a Y. Oak 30 in. dia., bears N 53 E 53 ths. dist.,
 & a Hickory 10 " " " N 77 W 38 " "
 Land level soil rich, timber Y. W. & Br. Oak
 and some Hickory &

- Tract On S. side Sec. 35 T. 31 N. R. 5 W.,
 19.46 a W. Oak 10 in. dia.,
 40.00 Set gr. sec. post from which
 a Br. Oak 9 in. dia., bears N 52 W 133 ths. dist. &
 a Do. 10 " " " S 89 W 166 " "
 80.00 Set post cor. Sec. 34 & 35 from which
 a Br. Oak 9 in. dia., bears N 18 E 448 ths. dist.,
 & a Do. 12 " " " N 10 E 443 " "
 Land level & first rate. Timber scattering Oak

- Tract On S. side Sec. 34 T. 31 N. R. 5 W.,
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia., bears N 21 E 478 ths. dist.,
 & a Do. 22 " " " N 16 E 482 " "
 80.00 Set post cor. Sec. 33 & 34 from which
 a Y. Oak 20 in. dia., bears N 26 E 26 ths. dist.,
 & a Do 18 " " " S 7 E 99 " "
 Land &c same as on last mile,

- Tract On S. side of Sec. 33 T. 31 N. R. 5 W.,
 40.00 Set gr. Sec. post from which
 a W. Oak 18 in. dia., bears N 31 E 135 ths. dist.,
 & a Do 20 " " " N 69 W 108 " "
 55.00 Enter a mark
 80.00 Set post cor. Sec. 32 & 33 from which
 a W. Oak 10 in. dia., bears N 60 W 358 ths. dist.

T. 30 N. R. 5 W. 2nd. Nov. Ind. a

C. L. 7 a W. Oak 12 in. dia. bears S 72° W 402 lbs. dist,
Land 1st rate & generally rolling timber
White Yellow & Br. Oak &c

Met On S. side Sec. 32 T. 31 N. R. 5 W,
10.00 Leave mark
40.00 Set gr. sec. post from which
a W. Oak 20 in. dia. bears N 44° E 41 lbs. dist,
4 a Do. 18 " " " N 64° W 24 " "
50.00 Entered a marsh
65.00 Leave the same
80.00 Set cor. sec. 31 & 32 on a W. Oak 18 in. dia.,
Land low & sec. 2 rate Timber Oak &c,

Met On S. side Sec. 31 T. 31 N. R. 5 W,
40.00 Set gr. sec. post from which
a W. Oak 10 in. dia. bears N 44° W 45 lbs. dist,
4 a Y. Oak 18 " " " N 46° W 72 " "
43.31 a Y. Oak 18 " "
80.52 To W. boundary of Township 120 lbs. N,
of temporary town corner & set post cor.,
Towns. 30 & 31 N. Ranges 5 & 6 W from which
a Y. Oak 18 in. dia. bears N 18° W 18 lbs. dist,
4 a Do. 20 " " " S 40° E 94 " "
Land level & sec. 2 rate. Timber Y. & W. Oak,
Dec. 20th 1833, (Var. 5° 35' E.)
Surveyed by Sylvester Sibley, D. Sur,

West Boundary Var. 5° 45' E,

North On E. side Sec. 36 T. 30 N. R. 6 W,
10.84 a Y. Oak 20 in. dia.
40.00 Set gr. sec. post from which
a Y. Oak 14 in. dia. bears N 33° W 163 lbs. dist,
4 a W. Oak 20 " " " N 87° W 278 " "
59.64 a Br. Oak 14 " "

113

T. 30 N. R. 5 W. 2nd Mer. Ind^a.

80.00 Set post cor. Sec. 25 & 36 from which
a W. Oak 10 in. dia, bears N 20 W 16 1/2 lbs. dist,
+ a Do. 12 " " " S 39 E W 26 " "
Land gently rolling 1st rate, timber
Br. W. & Y. Oak &c. -

North On E. side Sec. 25 T. 30 N. R. 6 W,
4.33 a Hickory 10 in. dia.
40.00 Set gr. Sec. post from which
a W. Oak 18 in. dia, bears N 7 W 18 9 lbs. dist
+ a Do. 18 " " " S 54 W 21 9 " "
60.00 Entered wet prairie
80.00 Set post cor. Sec. 24 & 25 from which
a W. Oak 10 in. dia, bears S 41 E 65 4 lbs. dist,
+ a Do. 20 " " " S 64 E 70 6 " "
Land S. prairie as before Oak timber

North On E. side Sec. 34 T. 30 N. R. 6 W,
40.00 Set gr. Sec. post from which (in water
too deep to raise a mound)
a W. Oak 12 in. dia, bears N 4 W 32 11 lbs. dist,
no other bearing near,
62.00 Entered an Island of timber
67.00 Entered wet prairie again
80.00 Set post cor. Sec. 13 & 24 from which
a W. Oak 20 in. dia, bears S 4 W 14 27 lbs,
no other near
Land mostly wet prairie very poor

North On E. side of Sec. 13 T. 30 N. R. 6 W,
40.00 Set gr. Sec. post from which
a W. Oak 20 in. dia, bears N 41 3 W 87 11 lbs,
no other near
80.00 Set post cor. Sec. 12 & 13 in water
too deep to raise a mound
Land poor wet prairie

T. 30 N. R. 5 W. 2nd. Mer. Ind^e.

North On E. Side Sec 12 T. 30 N. R. 6 W,
 40.00 Leave wet prairie Set gr. sec. post from which
 a Y. Oak 24 in dia. bears N 20 W 126 lbs dist,
 & a Do. 18 " " " N 76 W 171 " "
 54.00 Entered wet prairie
 80.00 Set post cor. Sec. 1 & 12 from which
 an aspen 6 in dia. bears S 41 W 208 lbs. dist,
 & a Y. Oak 10 " " " N 64 1/2 W 250 " "
 Land flat & marshy, timbered Oak &

North On E. side Sec. 1 T. 30 N. R. 6 W,
 28.00 Leave wet prairie
 40.00 Set gr. sec. post from which
 a Y. Oak 12 in dia. bears N 32 W 474 lbs,
 & a Do. 6 " " " S 1/2 W 390 "
 63.26 a Y. Oak 10 " "
 80.00 Set temporary Town corner,
 Land low sec? rate, Y & W. Oak timber
 December 15th 1833. Var. 5° 45' E,
 Surveyed by - Sylvester Sibley. D. S.

Subdivision,

Var. 5° 35' E,

North Between sections 35 & 36
 40.00 Set gr. sec. post in a mound
 80.00 Set post cor. sec. 25 & 36 in mound
 Land level & sec? rate prairie,
 B. Oak 20 N 36 E 381 - Do. 10 N. 37 W 374 -

East On Random between Sec. 25 & 36
 79.41 To E. line of sec. 163 lbs. N. of post,

West Correct line between sec. 25 & 36
 39.75 1/2 Set gr. sec. post in a mound
 79.41 To sec. corner,
 Land level & 2nd rate prairie

115

T. 30 N. R. 5 W. 2nd Mer. Ind.^a

North Between sections 25 & 26

- 8.00 B. Oak 20 in. dia.,
 40.00 Set gr. sec. post from which no bearings
 raise a mound
 80.00 Set post cor. Secs. 23, 24, 25 & 26 from which
 a B. Oak 20 in. dia. bears S 55 E 249 th. dist.,
 & a Do. 22 " " " S 70 E 305 " "
 Land level dry prairie 2nd rate,

East On Random between Secs. 24 & 25
 80.22 To E. line of Sec. 100 th. N. of post

West Correct line between Secs. 24 & 25

- 40.11 Set gr. sec. post from which
 a B. Oak 25 in. dia. bears S 1 1/2 W 191 th. dist.,
 & a Do. 30 " " " N 46 W 103 " "
 80.00 To sec. corner,
 Land mostly marshy barrens timber Oak B & W,

North Between sections 23 & 24

- 40.00 Set gr. sec. post in mound,
 80.00 Set post cor. Secs. 13, 14, 23 & 24 from which
 a B. Oak 30 in. dia. bears N 14 W 362 th. dist.,
 & a Do. 25 " " " N 6 1/2 E 434 " "
 Land level 1st rate prairie,

East On Random between Secs. 13 & 24
 80.40 To E. line of Sec. 45 th. N. of post

West Correct line between Secs. 13 & 24

- 10.26 a W. Oak 36 in. dia.,
 40.20 Set gr. sec. post from which
 a W. Oak 30 in. dia. bears N 66 1/2 E 536 th. dist.,
 & a B. Oak 10 " " " N 76 1/2 W 10.35 " "
 80.40 To sec. corner, Land mostly wet barrens
 timber B & W. Oak & flag & bull rush marshes.

T. 30 N. - R. 5 W. - 2nd Mer. Ind.

North Between sections 13 & 14
 7.50 To a B. Oak 20 in. dia.,
 8.50 " Lafayette & Laporte road
 22.46 " B. Oak 10 in. dia.,
 40.00 Set gr. sec. post from which
 a B. Oak 30 in. dia., bears S 26° W 69 M. dist.,
 & a Do. 18 " " " N 32° E 139 " "
 64.30 a Br. Oak 18 " "
 80.00 Set post cor. sec. 11, 12, 13 & 14 from which
 a B. Oak 25 in. dia., bears N 35° W 151 M. dist.
 & a Do. 20 " " " N 31° E 99 " "
 Land level 2nd rate barrens, timber Br.
 Oak & Bl. Oak —

East On Rand om between sec. 12 & 13,
 80.62 To E. line of sec. 69 M. E. of post,

West Correct line between sec. 12 & 13,
 14.23 a W. Oak 18 in. dia.,
 40.31 Set gr. sec. post from which
 a B. Oak 20 in. dia., bears N 89° E 80 M. dist.,
 & a Do. 30 " " " S 72° W 207 " "
 71.22 To Lafayette & Laporte Road
 80.62 To Sec. corner,
 Land level post wet & part dry barrens,
 timber Br. & W. & Bl. Oak —

North Between sections 11 & 12
 40.00 Set gr. sec. post from which
 a Br. Oak 15 in. dia., bears N 22° E 116 M.,
 & a Hickory 15 " " " N 17° W 118 " dist.,
 42.81 a B. Oak 20 " "
 75.93 " W. Oak 8 " "
 80.00 Set post in Bullrush swamp, cor. to sec.
 11, 12, 11 & 12 from which
 a B. Oak 18 in. dia., bears N 42° W 192 M. dist.,

117

T. 30 N. R. 5 W. 2nd Mer. Ind^a

E. L. & a B. Oak 30 in. dia, bears S 36 W 263 th. dist.
Land level part dry & part wet flax &
Bull rush swamps mixed with cranberry.

East On Random between Secs. 1 & 2
80.77 To E. line of Sec. 40 th. ct. of post

West Correct line between Secs. 1 & 2
32.77 To Lafayette & Laporte Road
40.00 Set gr. Sec. post from which
a B. Oak 18 in. dia, bears N 11 E 12 th. dist.,
& a Do. 10 " " " S 31 E 39 " "
80.77 To the Sec. corner,
Land greater part wet barrens & grove
of W. & B. Oak &

North Between Sections 1 & 2
40.00 Set gr. Sec. post from which
a W. Oak 20 in. dia, bears S 47 W 31 th. dist.,
& a Hickory 20 " " " N 5 E 43 " "
47.93 a B. Oak 25 " "
55.73 a W. Oak 30 " "
76.73 To the ct. boundary 113 th. W of post,
where set post cor. Sec. 1 & 2 from which
a B. Oak 25 in. dia, bears S 73 E 91 th. dist.,
& a W. Oak 18 " " " S 26 W 57 " "
Land greater part wet & part 2nd rate land
Timber B. Oak W. Oak & Hickory, underbrush
same where there is any 11 June 1834

North Between Sections 34 & 35
1.74 To an aspen 10 in. diam,
16.53 a Br. Oak 15 " "
40.00 Set gr. Sec. post from which
a B. Oak 6 in. dia, bears S 73 E 60 th. dist.,
& a Do. 10 " " " S 52 W 55 " "

Sec. 30 N. R. 5 W. 2nd. Nov. Ind.^a

80.00 Set post in prairie cor. Secs. 26, 27, 34 & 35
where raise a mound,
The greater portion of this line passes
through a wet prairie, & grows of W,
& B. Oak & aspen &c.

East On Random between Secs. 26 & 35
79.53 To E. line of Sec. 24 1/2 m. S. of post,

Met Correct line between Secs. 26 & 35
10.11 To Lafayette Road,

39.76 Set gr. sec. post from which,
a B. Oak 20 in. dia. bears N 32 E 130 m,
& a W. Oak 30 " " " N 17 W 124 "

79.53 To sec. corner,
East 1/2 mile wet barrens W 1/2 level
B. Oak & Hickory timber, N. & S. same
Land sec. 2 also —

North Between Secs. 26 & 27

27.17 a W. Oak 25 in. dia.

40.07 Set gr. sec. post from which
a B. Oak 20 in. dia. bears S 57 W 45 m,
& a Br. Oak 20 " " " N 75 W 75 " dist,

49.82 a W. Oak 20 " "

80.00 Set post cor. Secs. 22, 23, 26 & 27 from which
a B. Oak 20 in. dia. bears N 68 W 83 m. dist,
& a Br. Oak 18 " " " S 56 1/2 W 77 " "
Land chiefly wet barrens, small groves
of Br. Oak Bl. Oak & W. Oak &c.

East On Random between Secs. 23 & 26,
78.98 To the E. line of Sec. 64 S. of post,

Met Correct the line between Secs. 23 & 26
13.99 To Lafayette Road

119

up
T. 30 N. R. 5 W. 2nd New, Ind.^a

39.49 Set q^r. sec. post in a mound
 78.98 To sec. corner,
 Land level & greater part first rate
 prairie, groves of Bur Oak Bl. & W. Oak &c,

North Between sections 22 & 23,
 40.00 Set q^r. sec. post in prairie
 where raise a mound,
 80.00 Set post cor. sec. 14, 15, 22 & 23 from which
 a Br. Oak 20 in. dia. bears S 75° E 48 th. dist
 & a Bl. Oak 30 " " " S 24° E 62 " "
 Land greater part first rate land
 prairie, & groves of Br. Oak Bl. & W. Oak &c,

East On Random between sec. 14 & 23,
 78.54 To E. line of sec. 17 th. et. of post

West Correct line between sec. 14 & 23,
 4.25 To Lafayette Road
 7.20 a Bl. Oak 20 in. dia.
 39.27 Set q^r. sec. post from which
 a Br. Oak 30 in. dia. bears S 10° W 98 th. dist
 & a Do. 8 " " " S 45° E 113 " "
 78.54 To sec. corner.
 Land rolling first rate Bur Oak Bl. Oak
 apple Crab Apple &c

North Between sections 14 & 15,
 23.74 a Br. Oak 20 in. dia. "
 34.42 a W. Oak 30 " "
 40.00 Set q^r. sec. post from which
 a Br. Oak 20 in. dia. bears N 44° E 375 th. dist,
 & a W. Oak 25 " " " N 4° W 736 " "
 74.86 a W. Oak 20 " "
 80.00 Set post cor. sec. 10, 11, 14 & 15 from which
 a W. Oak 25 in. dia. bears N 12° W 127 th. dist,

^{up} T. 30 N. R. 5 W. 2nd. New, Ind.

C. L. & a W. Oak 30 in. dia. bears N 32 $\frac{1}{2}$ E 264 lks.
Land level & wet barrens. timbered W. Oak
& B. Oak. Mud, Lths. same where is any

East On Random between Sec. 11 & 14
79.06 To E. line of sec. 43 lks. N. of post

West Correct the line between Sec. 11 & 14

1.36 To a Br. Oak 18 in. dia.,

6.16 " " B. Oak 20 " "

39.53 Set g^r. sec. post from which

a W. Oak 24 in. dia. bears S 81 W 404 lks.,

& a Do. 20 " " " S 87 W. 4.50 "

52.71 a B. Oak 24 " "

79.06 To the sections corner.

Land level & wet barrens, & the timber is
B. & W. Oak. June 12th 1834 —

North Between sections 10 & 11

16.24 To a W. Oak 24 in. dia.,

40.00 Set g^r. sec. post from which

a W. Oak 20 in. dia. bears N 49 W 771 lks. dist.,

& a Do. 20 " " " N 16 W 785 " "

47.97 a W. Oak 18 " "

60.82 " Do. 18 " "

80.00 Set post cor. sec. 2, 3, 10 & 11 from which

a B. Oak 18 in. dia. bears N 87 $\frac{1}{2}$ E 504 lks.

& a W. Oak 24 " " " N 10 W 646 "

Land dry barrens. timbered B. Oak & W. Oak

East On Random between sec. 2 & 11
80.17 To E. line of sec. 89 lks. S. of post,

West Correct the line between sec. 2 & 11

40.08 $\frac{1}{2}$ Set g^r. sec. post from which

a Br. Oak 18 in. dia. bears S 74 W 217 lks. dist.

T. 30 N. R. 5 W. 2nd Mer. Ind.

Co. L, 4 a W. Oak 12 in. dia. bears S 28 E 300 th. dia.
 80.17 To Sec. corner,
 Land level wet bareness. Timber scarce
 B. & W. Oak where there is any.

North Between Sections 28 & 3,
 40.00 Set gr. sec. post from which
 a W. Oak 24 in. dia. bears S 49 E 22 th.
 & a Do. 18 " " " N 43 E 37 "
 78.07 To N. boundary 162 th. W. of post
 where set post cor. sec. 28 & 3 from which
 a B. Oak 18 in. dia. bears S 54 E 245 th. dia.
 & a Do. 36 " " " N 44 W 214 " "
 Land level principally prairie 2nd rate

North Between Sections 33 & 34
 27.62 To a B. Oak 36 in. dia.
 36.09 a Red Oak 36 " "
 40.00 Set gr. sec. post from which
 a Red Oak 22 in. dia. bears N 37 W 104 th.
 & a W. Oak 18 " " " N 52 E 498 "
 46.50 a Red Oak 18 " "
 54.24 a Hickory 24 " "
 72.81 a W. Oak 24 " "
 80.07 Set post cor. sec. 27, 28, 33 & 34 from which
 a W. Oak 24 in. dia. bears N 20 E 13 th. dia.
 & a B. Oak 30 " " " N 60 W 40 " "
 Land first rate. Timber, B. Oak W. Oak Hickory.

East On Randon between sec. 27 & 34
 80.56 To E. line of sec. 83 th. South of post

West Correct line between sec. 27 & 34
 40.28 Set gr. sec. post from which
 a B. Oak 20 in. dia. bears S 61 E 154 th.
 & a W. Oak 36 " " " N 52 W 159 "

wy
T. 30 N. R. 5 W. 2nd Mer. Ind.

47.84 To a Hickory 12 in. dia.

80.56 To Sec. corner,
Land level to $\frac{1}{2}$ mile west prairie. $W\frac{1}{2}$
dry. Timbered. Red Oak W. Oak Hickory &c.

North Between Sections 27 & 28,

5.25 To a Hickory 20 in. dia.

40.00 Set gr. sec. post from which
a W. Oak 24 in. dia., bears S 21 $\frac{1}{2}$ E 65 M dist.,
8 a Do. 36 " " " N 43 W 13 $\frac{1}{4}$ " .

44.92 a W. Oak 34 " "

80.00 Set post cor. sec. 21, 22, 27 & 28, no bearings,
Land level barrens, Timbered. B & W. Oak &c.

East On Random between sec. 22 & 27

80.32 To E. line of sec. 150 M. S. of post,

West Correct line between sec. 22 & 27

40.16 Set gr. sec. post from which
no bearings - being in swamp,

80.32 To Sec. corner,
Land mostly flag & bull rush swamp
Destitute of timber,

North Between Sections 21 & 22,

40.00 Set gr. sec. post in swamp
no bearings,

80.00 To the sec. corner, set post cor. sec.
15, 16, 21 & 22, no bearings,
Land all swamp & no timber,

East On Random between sec. 15 & 22

82.42 To E. line of sec. 2, 45 M. S. of post,

West Correct line between sec. 15 & 22,

44.21 Set gr. sec. post from which

T. 30 N. R. 5 W. 2nd Mer. Ind^a,

6. L. a Br. Oak 36 in. dia. bears S 24 W 73 lbs. dia.
 & a B. Oak 20 " " " S 65 W 128 " "
 82.42 To Sec. corner,
 Land level $\frac{1}{2}$ dry prairie. W $\frac{1}{2}$ swamp,

North Between sections 15 & 16

40.00 Set gp. sec. post in swamp
 80.00 Set post in swamp cor. sec. 9, 10, 15 & 16
 no bearings. — Land all swamp,

East On Random between sec. 10 & 15

81.69 To the E. line of sec. 59 lbs. S. of post,

West Correct the line between sec. 10 & 15

5.10 a W. Oak 30 in. dia.
 40.89 $\frac{1}{2}$ Set gp. sec. post from which no bearings
 in water, margin of a great swamp,
 81.69 To sections corner, no mound or trees
 The greater part of this line runs through
 the great marsh at the head of rock
 river or Troquois river. —

North & Between sections 9 & 10,

40.00 Set gp. sec. post in edge of swamp
 a B. Oak 25 in. dia. bears S 45 E 92 lbs. dia.
 & a Do. 20 " " " S 2 $\frac{1}{2}$ E 130 " "
 57.07 a W. Oak 20 " "
 69.67 " Do. 20 " "
 80.00 Set post cor. sec. 3, 4, 9 & 10, from which
 W. Oak 35 in. dia. bears S 25 E 53 lbs. dia. &
 & a Do. 25 " " " S 25 W 133 " "
 S $\frac{1}{2}$ mile an entire marsh & at $\frac{1}{2}$ level,
 bearing. Timber W. & B. Oak &

East On Random between sec. 3 & 10

79.56 To E. line of sec. 14 lbs. S. of post,

^{by} T. 30 N. R. 5 W. 2nd Mer Ind^a

West Correct line between sec. 3 & 10,
 39.78 Set gr. sec. post from which
 a Br. Oak 20 in. dia. bears N 83 E 116 ft.,
 + a Do. 12 " " " N 43 E 113 ft.,
 79.56 To Sec. corner,
 Land level wet barrens, small -
 groves of Br. B & W. Oak. Flag & Bull
 rush swamps in places,

North Between sections 3 & 4,
 40.00 Set gr. sec. post from which
 a B. Oak 4 in. dia. bears N 24 E 9 ft.,
 + a Do. 8 " " " N 60 E 61 ft.,
 56.82 a W. Oak 20 " "
 81.50 To N. boundary 85 ft. W. of post
 where set post cor. sec. 3 & 4 from which
 a B. Oak 25 in. dia. bears S 52 E 135 ft. dia.,
 + a W. Oak 25 " " " S 29 N 105 " "
 Land level part flag & part Bull rush
 swamp part dry barrens, timber B & W,
 Oak

North Between sections 32 & 33,
 40.00 Set gr. sec. post from which
 a B. Oak 10 in. dia. bears N 65 W 545 ft.,
 + a Do. 12 " " " N 3 W 13.00 ft.,
 59.92 a B. Oak 24 " "
 80.00 Set post in mark cor. sec. 28, 29, 32 & 33,
 a W. Oak 20 in. dia. bears S 5 E 761 ft. dia.,
 + as other, The greater part of
 this line runs through dry prairie
 & groves of W. Oak & Bl. Oak &

East On Random between sec. 28 & 33,
 80.27 To E. line of sec. 36 ft. S. of post,

125

Aug 30 N. R. 5 W. 2nd. Mer. Ind.

West Correct the line between sec. 28 & 33,
 440.13 $\frac{1}{2}$ Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 95° 76' 11",
 & a Do. 24 " " " S 43° 17' 37"
 $\frac{1}{4}$ sec. cor. in Grosbeak creek cor. S.
 446.22 a W. Oak 30 " "
 72.66 " Do. 20 " "
 80.27 To sec. corner, Land level &
 some swamps & scarce of timber,

North Between sections 28 & 29
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N 41° 10' 10" W,
 & a B. Oak 18 " " " N 11° 40' 00" W,
 80.00 Set post cor. sec. 20, 21, 28 & 29 in margin
 of great marsh from which
 a W. Oak 18 in. dia. bears N 17° 13' 00" W,
 & a Do. 24 " " " N 45° 10' 00" W,
 Land level wet prairie & groves of W.
 B. Oak & —

East On Random between sec. 21 & 28,
 80.16 To E. boundary of sec. 10 th. S. of post

West Correct the line between sec. 21 & 28,
 40.08 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 81° 35' 00" W,
 & a Do. 20 " " " S 83° 38' 40" W,
 $\frac{1}{4}$ sec. corner in swamps at head of Grosbeak ck,
 56.58 a W. Oak 18 in. dia.,
 80.16 To sec. corner, Land wet prairie &
 great swamps destitute of timber,

East On last mentioned line to cor. sec. 21, 22, 27 & 28
 80.16 To cor. sec. 21, 22, 27 & 28, thence
 North Between sec. 21 & 22 & c —
 240.00 To cor. sec. 3, 4, 9 & 10, thence

by T. 30 N. R. 5 W. 2nd Mer. Ind^a

North Between Sec^s 4 & 9. (S 84 $\frac{1}{2}$ W.)

21.27 a W. Oak 20 in. dia,

40.00 Set gr. sec. post from which

a W. Oak 18 in. dia, bears S 40 E 107 $\frac{1}{2}$ th. dist,

& a B. Oak 18 " " " N 65 E 90 " "

80.00 Set post in water cov. sec^s 4, 5, 8 & 9

a W. Oak 18 in. dia, bears N 11 W 64 $\frac{1}{2}$ th. dist,

no other

Land level wet barrens covered with
water in some places,

North Between sections 4 & 5

32.30 a B. Oak 18 in. dia,

40.00 Set gr. sec. post from which

a B. Oak 18 in. dia, bears S 11 W 260 th. dist,

& a Do. 20 " " " S 17 W 243 " "

69.33 a B. Oak 18 " "

80.89 To N. boundary 43 th. W. of post,

where set a post cov. sec^s 4 & 5 from wh,

a B. Oak 24 in. dia, bears S 25 W 336 th,

no other,

most of this line runs through flag
& bull rush swamps, a few trees
of B. & W. Oak —

North Between sections 31 & 32

40.00 Set gr. sec. post from which

a Br. Oak 4 in. dia, bears N 66 $\frac{1}{2}$ W 76 th,

& a B. Oak 30 " " " N 22 E 458 $\frac{1}{2}$ th,

61.31 a B. Oak 20 " "

75.66 " Do. 20 " "

80.00 Set post cov. sec^s 29, 30, 31 & 32

a B. Oak 18 in. dia, bears N 35 W 41 th. dist,

& a Do. 18 " " " S 80 W 57 " "

Land sec^o rate barrens, timber scarce
in place, W. & B. Oak &

T. 30 N. R. 5 W. 2nd Mer. Ind.^a

East On Random between Sec. 29 & 32
80.10 To E. line of Sec. 30 1/2 m. S. of post

West Correct the line between Sec. 29 & 32
40.05 Set gr. sec. post from which
a B. Oak 24 in. dia. bears N 66° 30' E
+ a Hickory 8 " " " S 12 1/2° W 20 "
80.10 To the Sec. corner,
Land mostly wet barrens & large
flag & bull rush swamps & much water

West On Random between Sec. 30 & 31
79.29 To W. line of Township 29 1/2 m. S. of post

East Correct line between Sec. 30 & 31
39.64 Set gr. sec. post from which
a W. Oak 20 in. dia. bears N 46° 15' 30" E
+ a Do. 18 " " " N 43° 16' 8" E
79.29 To Sec. corner,
Land level wet barrens flag & bull
rush swamps in places some W. & B. Oak

North Between sections 29 & 30

9.56 a W. Oak 18 in. dia.
40.00 Set gr. sec. post from which
a B. Oak 18 in. dia. bears N 84° W 112 m.
+ a Do. 24 in. dia. bears S 82° W 98 m. dia.
52.86 a B. Oak 18 " "
80.00 Set post cor. Sec. 19, 20, 29 & 30 from which
a B. Oak 24 in. dia. bears N 85 1/2° E 93 m. dia.
+ a Do. 18 " " " S 23° W 110 " "
Land level & wet barrens & timbered with Oak,

East On Random between Sec. 20 & 29
80.43 To E. line of Sec. 8 1/2 m. S. of post;

T. 30 N. R. 5 W. 2nd New. Ind.

West Correct line between Secs. 20 & 29
 40.21 $\frac{1}{2}$ Set gr. Sec. post from which
 a B. Oak 10 in. dia. bears N 4 W. 74 $\frac{1}{2}$ M. dist.,
 & a Do. 24 " " " at 62 W 112 " "
 77.80 a B. Oak 18 " " -
 80.13 To Sec. corner,
 Land level & greater part swamp
 of the worst description.

West On Boundaries between Secs. 19 & 30
 79.89 Intersect W. boundary at post,

East Correct line between Secs. 19 & 30
 39.89 Set gr. Sec. post in swamp no bearings
 64.39 To E. edge of marsh
 79.89 To the Sec. corner,
 Land level & greater part swamp,

It will be seen by reference to the foregoing plat of this township & the notes of survey, that the section lines 5, 6, 7, 8, 9, 16, 17, 18, 19, 20, & 21, have not been run. A large creek known at that place by the name of Froguois, heads in these sections & forms a marsh which covers - nearly the whole surface of them,

The land is entirely useless & the marsh dangerous to pass through & parts of it, on the arms thereof, which our lines crossed that we actually surveyed was covered with water waist deep. It was believed most prudent & certainly most practicable, not to meander the marsh but to leave the sections not subdivided in a square form. It is true that there are arms of timbered land, in

129

T. 30 N. R. 5 W. 2nd Mer. Ind^a

places, that extend a short distance into the swamp, but they were considered of no value,

a true copy from the original book of surveys of this township, except the closing certificate.

R. Hanna, Dep. Sur.

I certify that the foregoing transcript of field notes of Township 30 North, Range 5 West 2nd Meridian in the state of Indiana has been compared with the original in this office and found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office,
Cincinnati, Sept. 17th 1842.